TALAN

SAFETY FOOTWEAR

NITROCORE

SOLES BY MICHELIN

atop
REEL KNOB LACING SYSTEM

CORDURA
Advanced Fabrics

BASF



THE FUTURE STARTS WITH NITROCORE

- ✓ DIRECT INJECTION SCF
- ✓ SUPERCRITICAL FOAM
- ✓ NO COMPRESSION OVER TIME
- ✓ ENERGY RETURN
- ✓ FULLY RECYCLABLE
- ✓ LOW CARBON EMISSIONS
- ✓ SUPER LIGHT
- ✓ SUPER SLIP-RESISTANT
- ✓ MAX COMFORT



CONTENTS

LINES	ARTICLES	PAGES
NITROCORE	AERO BLUE / RIG / ONYX / NOVA / GRAPHITE / LUNA	4-6
ARMOR-X	ARMOR-X TERRA / GALAXY LITE	7
HEAVY DUTY	7314 / 7315 / 7313 / 7335 / 7302	8-10
AIRFLEX PRO	7434	11
LIGHT DUTY	802 / 829	12-13
AIRFLEX BREATH	826 / 800 / 825 / 830 / 803 / 827	14-17
AIRFLEX	7431 / 7401	18-19
AIRLIGHT	169	20
URBANGLIDE	170	21
JACQUARD	777	21
OUTDOOR	368 / 318	22
PLANET	917	23
COMMANDER	916	23
GALAXY	966 / 919	24
STYLER	163 / 111	25
MOON	6223 / 6224 / 162 / 112	26
TORNADO	171 / 133	27
FORWARD	112 / 162 / 182	28
PROTECHFIT	PVC(DOL)1 / PVC(DOL)1M2	29
PRIME	545 / 575	30
TECHNOLOGIES		31-32
ADDITIONAL PROTECTION CLASSES		33

Height: 85 ± 5mm
Waga: 450g ± 5%
Sizes: 37 - 47



AERO BLUE

Height: 85 ± 5mm | **Waga:** 450g ± 5%
Sizes: 37 - 47



AERO RIG

NITROCORE

Protection class: S1PS
Upper material: durable and breathable fabric
Lining: breathable MESH material
Safety toe cap: aluminum, wide, 200J
Shank: carbon, support and stability
Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material
Outsole: NITROCORE is made with Super Critical Foam technology (TPU + NitroGen), shock-absorbing and lightweight

Protection class: S3S SR
Upper material: waterproof microfiber
Lining: breathable MESH material
Safety toe cap: aluminum, wide, 200J
Shank: carbon, support and stability
Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material
Outsole: NITROCORE is made with Super Critical Foam technology (TPU + NitroGen), shock-absorbing and lightweight

Height: 85 ± 5mm | **Waga:** 450g ± 5%
Sizes: 37 - 47



AERO ONYX

Height: 85 ± 5mm | **Waga:** 450g ± 5%
Sizes: 37 - 47



AERO NOVA

NITROCORE

Protection class: S1PS
Upper material: PU Tek® extremely durable fabric that combines high protection with extreme lightness with TPU film
Lining: breathable MESH material
Safety toe cap: aluminum, wide, 200J
Shank: carbon, support and stability
Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material
Outsole: NITROCORE is made with Super Critical Foam technology (TPU + NitroGen), shock-absorbing and lightweight
Reflective inserts

Protection class: S1PS
Upper material: durable and breathable fabric with TPU film
Lining: breathable MESH material
Safety toe cap: aluminum, wide, 200J
Shank: carbon, support and stability
Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material
Outsole: NITROCORE is made with Super Critical Foam technology (TPU + NitroGen), shock-absorbing and lightweight
Reflective inserts

Height: 85 ± 5mm | **Waga:** 450g ± 5%
Sizes: 37 - 47



AERO GRAPHITE

Height: 85 ± 5mm | **Waga:** 450g ± 5%
Sizes: 37 - 47



AERO LUNA

NITROCORE

Protection class: S3S SR
Upper material: durable and breathable fabric with TPU film
Quick lacing system: ATOP is dirt and water resistant
Lining: durable, breathable HB Tex membrane, breathable MESH material
Safety toe cap: aluminum, wide, 200J
Shank: carbon, support and stability
Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material
Outsole: NITROCORE is made with Super Critical Foam technology (TPU + NitroGen), shock-absorbing and lightweight
Reflective inserts

Protection class: S3S SR
Upper material: waterproof microfiber
Lining: breathable MESH material
Safety toe cap: aluminum, wide, 200J
Shank: carbon, support and stability
Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material
Outsole: NITROCORE is made with Super Critical Foam technology (TPU + NitroGen), shock-absorbing and lightweight

Art.: EC(bl)/2C934/3-21(black\red)
Height: 140 ± 5mm | **Waga:** 713g ± 5%
Sizes: 37 - 47



ARMOR-X TERRA

Height: 140 ± 5mm | **Waga:** 770g ± 5%
Sizes: 37 - 47



GALAXY LITE

ARMOR-X

METAL FREE

S3 HRO

Protection class: S3S HI HRO FO SR
Upper material: durable waterproof nubuck leather, Cordura
Lining: breathable MESH material
Safety toe cap: composite, 200J
Main insole: ultra-lightweight anti-puncture Kevlar material
Outsole: PU-Rubber by Talan, slip-resistant
Reflective inserts

Protection class: S3S SR
Upper material: durable waterproof nubuck leather, Cordura
Lining: breathable MESH material
Safety toe cap: composite, 200J
Main insole: ultra-lightweight anti-puncture Kevlar material
Outsole: PU-PU, slip-resistant
Reflective inserts
TPU stabilising heel Support Protection in the heel area

Height: 182 ± 5mm | **Waga:** 830g ± 5%
Sizes: 37 - 47



7314 BLACK-BLUE



HEAVY DUTY

ESD

S3 HRO

SOLES BY MICHELIN

Protection class: S3S HI HRO FO SR
Upper material: durable waterproof Crazy Horse leather, Cordura
Quick lacing system: ATOP is dirt and water resistant
Lining: Jacquard Mesh breathable material
Safety toe cap: composite, 200J
Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material
Outsole: PU-Rubber MICHELIN, slip-resistant
Reflective inserts
TPU stabilising heel Support Protection in the heel area



Art.: CH(dbr)/2C7315/3-21(bl/orange)
Height: 180 ± 5mm | **Waga:** 830g ± 5%
Sizes: 37 - 47



7315 BROWN

HEAVY DUTY

ESD S3 HRO SOLES BY MICHELIN

Protection class: S3S HI HRO FO SR
Upper material: durable waterproof Crazy Horse leather, Cordura
Lining: Jacquard Mesh breathable material
Safety toe cap: composite, 200J
Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material
Outsole: PU-Rubber MICHELIN, slip-resistant

Art.: CH(bl)/2C7313/3-21(bl/red)
Height: 145 ± 5mm | **Waga:** 800g ± 5%
Sizes: 37 - 47



7313 BLACK

ESD S3 HRO SOLES BY MICHELIN

Protection class: S3S HI HRO FO SR
Upper material: durable waterproof Crazy Horse leather, Cordura
Quick lacing system: ATOP is dirt and water resistant
Lining: Jacquard Mesh breathable material
Safety toe cap: composite, 200J
Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material
Outsole: PU-Rubber MICHELIN, slip-resistant
Reflective inserts
TPU stabilising heel Support Protection in the heel area

Art.: CH(bl)7335(w)C2/3-21
Height: 90± 5mm | **Waga:** 735g ± 5%
Sizes: 37 - 47



7335 BLACK

Art.: CH(bl)7302(w)C2/3-21
Height: 140 ± 5mm | **Waga:** 815g ± 5%
Sizes: 37 - 47



7302 BLACK

S3 HRO

ESD



HEAVY DUTY

SOLES BY MICHELIN

Protection class: S3S HI HRO FO SR
Upper material: durable waterproof Crazy Horse leather, Cordura
Quick lacing system: WINCH® is resistant to dirt and water
Lining: durable, breathable HB Tex membrane, Jacquard Mesh breathable material
Safety toe cap: composite, 200J
Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material
Outsole: PU-Rubber MICHELIN, slip-resistant
Reflective inserts
TPU stabilising heel Support Protection in the heel area

Art.: T(blue)b7434(we)c2/3-21 ESD
Height: 92 ± 5mm | **Waga:** 484g ± 5%
Sizes: 37 - 47



7434 BLUE

Art.: T(green)b7434(we)c2/3-21 ESD
Height: 92 ± 5mm | **Waga:** 484 g ± 5%
Sizes: 37 - 47



7434 GREEN

AIRFLEX PRO

SOLES BY MICHELIN

Protection class: S3S HRO SR
Upper material: Cordura Vela - special fabric made of complex non-textured polyester yarns. Power Bumper. microfibre
Quick lacing system: WINCH® is resistant to dirt and water
Lining: Jacquard Mesh breathable material or durable, breathable HB Tex membrane
Safety toe cap: composite. 200J
Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material
Outsole: PU-Rubber MICHELIN, Slip Resistant

ESD

S3 HRO



Art.: CH(br)2C0802/3-21(br)
Height: 130 ± 5mm | **Waga:** 630g ± 5%
Sizes: 37 - 47



802 BROWN

Art.: CH(bl)2C0802/3-21 (br)
Height: 130 ± 5mm | **Waga:** 630g ± 5%
Sizes: 37 - 47



802 BLACK



LIGHT DUTY

SOLES BY MICHELIN

Protection class: S3S HRO SR
Upper material: durable waterproof Crazy Horse leather
Flap: durable breathable Cordura material
Lining: Jacquard Mesh breathable material
Safety toe cap: composite, 200J
Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material
Outsole: PU-Rubber MICHELIN, slip-resistant
The shoes have no metal elements

Art.: CH(br)/2C0829/3-21(br)
Height: 90 ± 5mm I **Weight:** 610g ± 5%
Sizes: 37 - 47



829 BROWN



LIGHT DUTY

SOLES BY MICHELIN

ESD

S3 HRO



Protection class: S3S HRO SR
Upper material: durable waterproof Crazy Horse leather
Flap: durable breathable Cordura material
Lining: Jacquard Mesh breathable material
Safety toe cap: composite, 200J
Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material
Outsole: PU-Rubber MICHELIN, slip-resistant
The shoes have no metal elements

METAL FREE

Art.: M(bl)/2C0826(blue)/3-2
Height: 90 ± 5mm | **Weight:** 590g ± 5% | **Sizes:** 37 - 47
Protection class: S3S SR



826 BLUE

Art.: M(bl)/2C0825(blue)-2
Height: 90 ± 5mm | **Weight:** 585g ± 5% | **Sizes:** 37 - 47
Protection class: S1PS SR



825 BLUE

Boots art.: M(bl)/2C0800(blue)/3-2
Height: 130 ± 5mm | **Weight:** 625g ± 5% | **Sizes:** 37 - 47
Protection class: S3S SR



800 BLUE

AIRFLEX BREATH

ESD

METAL FREE

Upper material: durable microfibre, Cordura fabric, Hi-Hex polyester 3DMX on the toe
Lining: Jacquard Mesh breathable material
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Outsole: PU-TPU with flex-zones, slip-resistant
Reflective print
The shoes have no metal elements

Art.: M(bl)/2C0830(grey)/3-2
Art.: M(bl)/2C0830(yel)/3-2
Height: 90 ± 5mm | **Weight:** 580g ± 5%
Sizes: 37 - 47



830 GREY

830 YELLOW

Art.: M(bl)/2C0803(grey)/3-2
Art.: M(bl)/2C0803(yel)/3-2
Height: 130 ± 5mm | **Weight:** 625g ± 5%
Sizes: 37 - 47



803 GREY

803 YELLOW

AIRFLEX BREATH

Protection class: S3S SR
Upper material: durable microfibre, Cordura fabric, Hi-Hex polyester 3DMX on the toe
Quick lacing system: ATOP is resistant to dirt and water
Lining: Jacquard Mesh breathable material
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Outsole: PU-TPU with flex-zones, slip-resistant
Reflective print

ESD



Art.: M(bl)/2C0826(yel)/3-2
Height: 90 ± 5mm | **Weight:** 590g ± 5%
Sizes: 37 - 47



826 YELLOW

Art.: M(bl)/2C0800(yel)/3-2
Height: 130 ± 5mm | **Weight:** 625g ± 5%
Sizes: 37 - 47



800 YELLOW

METAL FREE

ESD



AIRFLEX BREATH

Protection class: S3S SR
Upper material: durable microfibre, Cordura fabric, Hi-Hex polyester 3DMX on the toe
Lining: Jacquard Mesh breathable material
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Outsole: PU-TPU with flex-zones, slip-resistant
Reflective print
The shoes have no metal elements

Art.: M(bl)/2C0825(yel)-2
Height: 90 ± 5mm I **Weight:** 585g ± 5%
Sizes: 37 - 47



825 YELLOW

Art.: M(bl)/2C0827(yel)-2
Height: 90 ± 5mm I **Weight:** 615g ± 5%
Sizes: 37 - 47



827 YELLOW

AIRFLEX BREATH

Protection class: S1PS SR
Upper material: durable microfibre, Cordura fabric, Hi-Hex polyester 3DMX on the toe
Lining: Jacquard Mesh breathable material
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Outsole: PU-TPU with flex-zones, slip-resistant
Reflective print
The shoes have no metal elements

ESD

METAL FREE



Art.: T(green)B7431C2/3-2ESD
Height: 93 ± 5mm | **Weight:** 492g ± 5%
Sizes: 37 - 47



7431 GREEN



Art.: T(blue)B7431C2/3-2ESD
Art.: T(red)B7431C2/3-2ESD



7431 BLUE

7431 RED



AIRFLEX

Protection class: S3S SR
Upper material: PU Tek® extremely durable fabric that combines high protection with extreme lightness. Microfibre protective material
Lining: Jacquard Mesh and Spig Tex breathable materials
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Outsole: PU-TPU with flex-zones, slip-resistant
AirBag cushioning "pillow"
Reflective inserts
The shoes have no metal elements

Art.: T(green)B7401C2/3-2 ESD
Height: 140 ± 5mm | **Weight:** 540g ± 5%
Sizes: 37 - 47



7401 GREEN

Boots art.: T(blue)B7401C2/3-2 ESD



7401 BLUE

AIRFLEX

Protection class: S3S SR
Upper material: PU Tek® extremely durable fabric that combines high protection with extreme lightness. Microfibre protective material
Lining: Jacquard Mesh and Spig Tex breathable materials
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Outsole: PU-TPU with flex-zones, slip-resistant
AirBag cushioning "pillow"
Reflective inserts
The shoes have no metal elements

ESD

METAL FREE





Art.: SD(bg)/MC0169(g)
Height: 75 ± 5mm | **Weight:** 574g ± 5%
Sizes: 37 - 47



169 GREY



AIRLIGHT

Protection class: S1PS SR
Upper material: durable Cordura and high quality suede
Lining: breathable 3-D mesh material with a three-dimensional structure
Safety toe cap: metal, 200 J
Main insole: Kevlar anti-puncture
Outsole: PU-PU, slip-resistant
Reflective inserts

Height: 80 ± 5mm
Weight: 544g ± 5%
Sizes: 37 - 47





URBANGLIDE

METAL FREE

Protection class: S1PS SR
Upper material: durable, breathable Cordura covered with a honey-comb-shaped polyurethane protective element. High quality suede
Lining: breathable 3-D mesh material with a three-dimensional structure
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Insole: comfortable moulded EVA foam footbed
Outsole: PU-PU, slip-resistant

Art.: KPU(red)/C0170(red)
Art.: KPU(g)/C0170(g)
Art.: KPU(blue)/C0170(blue)
Art.: KPU(green)/2C0170(green)

Height: 85 ± 5mm | **Weight:** 475g ± 5%
Sizes: 37 - 47



JACQUARD

METAL FREE

Protection class: S1PS SR
Upper material: lightweight and breathable fabric, strength 2.5 times higher than European standards
Lining: breathable MESH material
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Insole: comfortable moulded EVA foam footbed
Outsole: PU-PU, slip-resistant

Art.: T(blue)/2C777(blue)

Ankle boots art.: CH(br)/AC0368(g)/3
Height: 85 ± 5mm | **Weight:** 574g ± 5%
Sizes: 37 - 47



368 BROWN



Boots art.: CH(br)/AC0318(g)/3
Boots art.: CH(bl)/AC0318(g)/3
Height: 130 ± 5mm | **Weight:** 609g ± 5%
Sizes: 37 - 47



318 BROWN

318 BLACK

OUTDOOR

Protection class: S3S FO SR
Upper material: durable waterproof Crazy Horse leather
Flap: durable breathable Cordura material
Lining: breathable mesh material Air Surf Fabric
Safety toe cap: aluminium, 200J
Main insole: Kevlar anti-puncture
Outsole: PU-PU, slip-resistant
Reflective inserts

Art.: CH(br)/2C0917/(g)/3
Art.: GH(bl)/2C0917(g)/3
Height: 130 ± 5mm | **Weight:** 676g ± 5%
Sizes: 37 - 47



917 BROWN

917 BLACK

PLANET

Protection class: S3S FO SR
Upper material: durable waterproof Crazy Horse leather
Lining: breathable mesh material Air Surf Fabric
Flap: durable breathable Cordura material
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Insole: moulded EVA with foam and 2-D Mesh
Outsole: PU-PU, slip-resistant
Reflective inserts

Art.: G/2C0916K(g)/3
Art.: G/2C0916FnK(g)/3
Height: 200 ± 5mm | **Weight:** 773g ± 5%
Sizes: 37 - 47



916 BLACK

COMMANDER

Protection class: S3S FO SR
Upper material: waterproof Strong Protection leather
Lining art. 916K: breathable mesh material Air Surf Fabric
Lining art. 916FnK: natural fur
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Insole: moulded EVA with foam and 2-D Mesh
Outsole: PU-PU, slip-resistant

Art.: CH(br)/2C0966(g)/3
Art.: GH(bl)/2C0966(g)/3
Height: 98 ± 5mm | **Weight:** 703g ± 5%
Sizes: 37 - 47



966 BROWN 966 BLACK



Art.: GH(br)/2C0919(g)/3
Art.: GH(bl)/2C0919(g)/3
Height: 136 ± 5mm | **Weight:** 729g ± 5%
Sizes: 37 - 47



919 BROWN 919 BLACK

GALAXY

Protection class: S3S FO SR
Upper material: durable waterproof Crazy Horse leather
Flap: durable breathable Cordura material
Lining: breathable mesh material Air Surf Fabric
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Insole: moulded EVA with foam and 2-D Mesh
Outsole: PU-PU, SlipResistant
Reflective inserts

Art.: CH/2C0163/3
Art.: GH(bl)/2C0163(g)/3
Height: 90 ± 5mm | **Weight:** 597g ± 5%
Sizes: 37 - 47



163 BROWN 163 BLACK

Art.: CH/2C0111/3
Art.: GH(bl)/2C0111(g)/3
Height: 138 ± 5mm | **Weight:** 643g ± 5%
Sizes: 37 - 47





111 BROWN 111 BLACK

STYLER

Protection class: S3S FO SR
Upper material: durable waterproof Crazy Horse leather
Lining: breathable mesh material Air Surf Fabric
Flap: durable breathable Cordura material
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Insole: moulded EVA with foam and 2-D Mesh
Outsole: PU-PU, SlipResistant
Reflective inserts



Art.: BA(white)6224C2
Height: 80 ± 5mm
Weight: 430g ± 5%
Sizes: 37 - 47

Art.: BA(white)6223C2
Height: 115 ± 5mm
Weight: 470g ± 5%
Sizes: 37 - 47

Art.: M(wh)/2c0162/3
Height: 85 ± 5mm
Weight: 500g ± 5%
Sizes: 37 - 47

Art.: M(wh)/2c0112/3
Height: 140± 5mm
Weight: 530g ± 5%
Sizes: 37 - 47



ORION

SIRIO



162 WHITE

112 WHITE

MOON

METAL FREE

Protection class: S2 SR
Upper material: waterproof microfiber
Lining: Mesh breathable material
Safety toe cap: composite, 200J
Main insole: made of strobel material
Outsole: PU-PU, slip-resistant

Protection class: S3S SR
Upper material: waterproof microfiber
Lining: Mesh breathable material
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Outsole: PU-PU, slip-resistant

Art.: SE/2c171(g)/3
Height: 85 ± 5mm | **Weight:** 575g ± 5%
Sizes: 37 - 47



171 BLACK

Art.: SE/2C133(g)/3
Height: 120 ± 5mm | **Weight:** 591g ± 5%
Sizes: 37 - 47



133 BLACK

TORNADO

Protection class: S3S FO SR
Upper material: waterproof Strong Protection leather
Lining: breathable mesh material Air Surf Fabric
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Insole: moulded EVA with foam and 2-D Mesh
Outsole: PU-PU, slip-resistant
Reflective inserts
The shoes have no metal elements

METAL FREE



Art.: SE/2M0162
Height: 85 ± 5mm | **Weight:** 615g ± 5%
Sizes: 37 - 47



162 BLACK

Art.: SE/2M0112
Height: 140 ± 5mm | **Weight:** 628g ± 5%
Sizes: 37 - 47



112 BLACK

Art.: SE/2M182
Height: 260± 5mm | **Weight:** 770g ± 5%
Sizes: 37 - 47



182 BLACK

FORWARD

Protection class: S3P FO SR
Upper material: waterproof Strong Protection leather
Lining: breathable mesh material Air Surf Fabric
Safety toe cap: metal, 200J
Main insole: metal anti-puncture
Insole: moulded EVA with foam and 2-D Mesh
Outsole: PU-PU, slip-resistant

Protection class: S3P FO SR
Upper material: waterproof Strong Protection leather
Lining: breathable mesh material Air Surf Fabric
Safety toe cap: metal, 200J
Main insole: metal anti-puncture
Insole: moulded EVA with foam and 2-D Mesh
Outsole: PU-PU, slip-resistant



Height: 335± 5mm | **Weight S5:** 1120g ± 5% | **Weight 04:** 1000g ± 5%
Sizes: 39 - 48





ProTechfit - PVC Work Boots

Protection class: S5 SR / 04 SR
Upper material: PVC with 8% Nitrile Rubber
Lining: polyester
Safety toe cap: steel, 200J / without safety toe cap
Main insole: stainless steel/ without main insole
Outsole: PVC with 8% Nitrile Rubber

Art.: PVC(dol)1
Art.: PVC(dol)1m2

Art.: SP/2M0575(g)/3
Height: 85 ± 5mm | **Weight:** 645g ± 5%
Sizes: 37 - 47



575 BLACK

Art.: SP/2M0545(g)/3
Height: 120 ± 5mm | **Weight:** 660g ± 5%
Sizes: 37 - 47



545 BLACK

PRIME

Protection class: S3 SR
Upper material: waterproof Strong Protection leather
Lining: breathable mesh material Air Surf Fabric
Safety toe cap: metal, 200J
Main insole: metal anti-puncture
Insole: moulded EVA with foam and 2-D Mesh
Outsole: PU-PU, slip-resistant
Reflective inserts



TECHNOLOGIES

NITROCORE

NitroCore is a lightweight, glue-free sole that does not sag over time. An eco-friendly technology designed for human comfort and care for nature.

atop
REEL KNOB LACING SYSTEM

The ATOP system gives you perfect fit control with just one move. Fast, precise, and built for absolute comfort and safety wherever you go.

SOLES BY / MICHELIN

Double-layer PU rubber - equipped with a combination of specially developed rubber compounds and a unique technical design. Heat resistance +300°C.

PU Tek®
Eco Friendly

The HYPERTEX system shows that while the strongest fabric endures 51,000 cycles, this revolutionary material exceeds 1 million cycles!

ESD

ESD footwear prevents sparks when working with flammable substances and protects sensitive electronic equipment.

STRONG PROTECTION

Heavy-duty genuine leather up to 2.2 mm thick. The tensile strength of the leather is 68% higher than EN ISO 20345:2016.

CORDURA
Cordura

Durable fabric with high vapour permeability and water repellency. Tensile strength is 9 times higher than the requirements of EN ISO 20345:2011, EN ISO 20347:2012-5.5.1.

CrazyHorse
CrazyHorse

High-quality Crazy Horse leather of increased strength. Water resistance - up to 180 minutes in dynamic conditions (3 times higher than normal).

Full Power Duo System
Full Power
Duo System

The outsole with the revolutionary Full Power Duo System tread pattern: increases traction and provides stability on oily surfaces.

TECHNOLOGIES



Toe Cover/ Toe Cover MAX

Lightweight composite toe box. Protects the toes from forceful impact 200 joules. Made in Italy.



Vildona

The moulded three-layer insole has excellent thermal insulation and absorption properties.



MaxFlex

The anti-puncture Kevlar insole reliably protects the foot from punctures and cuts and has a resistance force of 1100 N.



StaBene

The anatomically shaped footbed makes the shoe comfortable even during prolonged and strenuous use. Reduces the feeling of fatigue.



Perfect Fit

The boots are made from a lightweight material that perfectly adapts to the shape of the foot, ensuring maximum comfort and excellent ergonomics.



Chemical resistant

PVC boots offer reliable protection against chemical exposure, making them ideal for environments where enhanced safety is required.

ADDITIONAL PROTECTION CLASSES

ABBREVIATED CODES FOR FOOTWEAR MADE OF LEATHER AND OTHER MATERIALS, EXCLUDING FOOTWEAR MADE ENTIRELY OF RUBBER OR POLYMERS.

Symbol	Requirements	SB	S1	S2	S3	S3L	S3S	S6	S7	S7L	S7S
-	Basic requirements	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
-	Slip resistance on ceramic tile floors with SLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ø	Slip resistance not tested (e.g. shoes with metal spikes)										
-	Closed sear region	O	✓	✓	✓	✓	✓	✓	✓	✓	✓
A	Antistatic footwear	O	✓	✓	✓	✓	✓	✓	✓	✓	✓
E	Energy absorption of seat region	O	✓	✓	✓	✓	✓	✓	✓	✓	✓
WPA	Water penetration and absorption	O	O	✓	✓	✓	✓	✓	✓	✓	✓
WR	Water resistance	O	O	O	O	O	O	✓	✓	✓	✓
P	Perforation resistance: metal insert	O	O	O	✓	-	-	O	✓	-	-
PL	Perforation resistance: non-metal insert, 4.5 mm nail	O	O	O	-	✓	-	O	-	✓	-
PS	Perforation resistance: non-metal insert, 3.0 mm nail	O	O	O	-	-	✓	O	-	-	✓
-	Cleated outsole	O	O	O	✓	✓	✓	O	✓	✓	✓

✓ = MANDATORY, O = OPTIONAL, - = NOT NECESSARY/POSSIBLE





Perfect Fit



Chemical-resistant



Impact-resistant



Penetration-resistant



Water-resistant









TALAN

