



TALAN
SAFETY FOOTWEAR

NITROCORE

SOLES
BY



atop
REEL KNOB LACING SYSTEM

CORDURA
Advanced Fabrics

• BASF



THE FUTURE STARTS WITH NITROCORE

- ✓ DIRECT INJECTION SCF
- ✓ SUPERCritical FOAM
- ✓ NO COMPRESSION OVER TIME
- ✓ ENERGY RETURN
- ✓ FULLY RECYCLABLE
- ✓ LOW CARBON EMISSIONS
- ✓ SUPER LIGHT
- ✓ SUPER SLIP-RESISTANT
- ✓ MAX COMFORT

CONTENTS

LINES	ARTICLES	PAGES
NITROCORE	AERO BLUE / RIG / ONYX / NOVA / GRAPHITE / LUNA	4-6
ARMOR-X	ARMOR-X TERRA / GALAXY LITE	7
HEAVY DUTY	7314 / 7315 / 7313 / 7335 / 7302	8-10
AIRFLEX PRO	7434	11
LIGHT DUTY	802 / 829	12-13
AIRFLEX BREATH	826 / 800 / 825 / 830 / 803 / 827	14-17
AIRFLEX	7431 / 7401	18-19
AIRLIGHT	169	20
URBANGLIDE	170	21
JACQUARD	777	21
OUTDOOR	368 / 318	22
PLANET	917	23
COMMANDER	916	23
GALAXY	966 / 919	24
STYLER	163 / 111	25
MOON	6223 / 6224 / 162 / 112	26
TORNADO	171 / 133	27
FORWARD	112 / 162 / 182	28
PROTECHFIT	PVC(DOL)1 / PVC(DOL)1M2	29
PRIME	545 / 575	30
TECHNOLOGIES		31-32
ADDITIONAL PROTECTION CLASSES		33

Height: 85 ± 5mm
Waga: 450g ± 5%
Sizes: 37 - 47



AERO BLUE

NITROCORE

Protection class: S1PS

Upper material: durable and breathable fabric

Lining: breathable MESH material

Safety toe cap: aluminum, wide, 200J

Shank: carbon, support and stability

Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material

Outsole: NITROCORE is made with Super Critical Foam technology

(TPU + NitroGen), shock-absorbing and lightweight

Height: 85 ± 5mm | **Waga:** 450g ± 5%
Sizes: 37 - 47



AERO RIG

Protection class: S3S SR

Upper material: waterproof microfiber

Lining: breathable MESH material

Safety toe cap: aluminum, wide, 200J

Shank: carbon, support and stability

Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material

Outsole: NITROCORE is made with Super Critical Foam technology

(TPU + NitroGen), shock-absorbing and lightweight

Height: 85 ± 5mm | **Waga:** 450g ± 5%
Sizes: 37 - 47



AERO ONYX

NITROCORE

Protection class: S1PS

Upper material: PU Tek® extremely durable fabric that combines high protection with extreme lightness with TPU film

Lining: breathable MESH material

Safety toe cap: aluminum, wide, 200J

Shank: carbon, support and stability

Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material

Outsole: NITROCORE is made with Super Critical Foam technology (TPU + NitroGen), shock-absorbing and lightweight

Reflective inserts

Height: 85 ± 5mm | **Waga:** 450g ± 5%
Sizes: 37 - 47



AERO NOVA

Protection class: S1PS

Upper material: durable and breathable fabric with TPU film

Lining: breathable MESH material

Safety toe cap: aluminum, wide, 200J

Shank: carbon, support and stability

Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material

Outsole: NITROCORE is made with Super Critical Foam technology (TPU + NitroGen), shock-absorbing and lightweight

Reflective inserts

Height: 85 ± 5mm | **Waga:** 450g ± 5%
Sizes: 37 - 47



AERO GRAPHITE

NITROCORE

Protection class: S3S SR

Upper material: durable and breathable fabric with TPU film

Quick lacing system: ATOP is dirt and water resistant

Lining: durable, breathable HB Tex membrane, breathable MESH material

Safety toe cap: aluminum, wide, 200J

Shank: carbon, support and stability

Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material

Outsole: NITROCORE is made with Super Critical Foam technology (TPU + NitroGen), shock-absorbing and lightweight

Reflective inserts

Height: 85 ± 5mm | **Waga:** 450g ± 5%
Sizes: 37 - 47



AERO LUNA

Protection class: S3S SR

Upper material: waterproof microfiber

Lining: breathable MESH material

Safety toe cap: aluminum, wide, 200J

Shank: carbon, support and stability

Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material

Outsole: NITROCORE is made with Super Critical Foam technology (TPU + NitroGen), shock-absorbing and lightweight

Art.: EC(bl)/2C934/3-21(black)red)

Height: 140 ± 5mm | Waga: 713g ± 5%

Sizes: 37 - 47



ARMOR-X TERRA

ARMOR-X



Protection class: S3S HI HRO FO SR

Upper material: durable waterproof nubuck leather, Cordura

Lining: breathable MESH material

Safety toe cap: composite, 200J

Main insole: ultra-lightweight anti-puncture Kevlar material

Outsole: PU-Rubber by Talan, slip-resistant

Reflective inserts

Height: 140 ± 5mm | Waga: 770g ± 5%

Sizes: 37 - 47



GALAXY LITE

Protection class: S3S SR

Upper material: durable waterproof nubuck leather, Cordura

Lining: breathable MESH material

Safety toe cap: composite, 200J

Main insole: ultra-lightweight anti-puncture Kevlar material

Outsole: PU-PU, slip-resistant

Reflective inserts

TPU stabilising heel Support Protection in the heel area

Height: 182 ± 5mm | Waga: 830g ± 5%
Sizes: 37 - 47



7314 BLACK-BLUE

HEAVY DUTY



SOLES
BY



Protection class: S3S HI HRO FO SR

Upper material: durable waterproof Crazy Horse leather, Cordura

Quick lacing system: ATOP is dirt and water resistant

Lining: Jacquard Mesh breathable material

Safety toe cap: composite, 200J

Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material

Outsole: PU-Rubber MICHELIN, slip-resistant

Reflective inserts

TPU stabilising heel Support Protection in the heel area



Art.: CH(dbr)/2C7315/3-21(bl/orange)

Height: 180 ± 5mm | Waga: 830g ± 5%

Sizes: 37 - 47



7315 BROWN

HEAVY DUTY



Protection class: S3S HI HRO FO SR

Upper material: durable waterproof Crazy Horse leather, Cordura

Lining: Jacquard Mesh breathable material

Safety toe cap: composite, 200J

Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material

Outsole: PU-Rubber MICHELIN, slip-resistant

Art.: CH(bl)/2C7313/3-21(bl/red)

Height: 145 ± 5mm | Waga: 800g ± 5%

Sizes: 37 - 47



7313 BLACK



Protection class: S3S HI HRO FO SR

Upper material: durable waterproof Crazy Horse leather, Cordura

Quick lacing system: ATOP is dirt and water resistant

Lining: Jacquard Mesh breathable material

Safety toe cap: composite, 200J

Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material

Outsole: PU-Rubber MICHELIN, slip-resistant

Reflective inserts

TPU stabilising heel Support Protection in the heel area

Art.: CH(bl)7335(w)C2/3-21

Height: 90 ± 5mm | Waga: 735g ± 5%

Sizes: 37 - 47



7335 BLACK

Art.: CH(bl)7302(w)C2/3-21

Height: 140 ± 5mm | Waga: 815g ± 5%

Sizes: 37 - 47



7302 BLACK



HEAVY DUTY



Protection class: S3S HI HRO FO SR

Upper material: durable waterproof Crazy Horse leather, Cordura

Quick lacing system: WINCH® is resistant to dirt and water

Lining: durable, breathable HB Tex membrane, Jacquard Mesh
breathable material

Safety toe cap: composite, 200J

Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material

Outsole: PU-Rubber MICHELIN, slip-resistant

Reflective inserts

TPU stabilising heel Support Protection in the heel area

Art.: T(blue)b7434(we)c2/3-21ESD

Height: 92 ± 5mm | Waga: 484g ± 5%

Sizes: 37 - 47



7434 BLUE

Art.: T(green)b7434(we)c2/3-21ESD

Height: 92 ± 5mm | Waga: 484 g ± 5%

Sizes: 37 - 47



7434 GREEN

AIRFLEX PRO



Protection class: S3S HRO SR

Upper material: Cordura Vela - special fabric made of complex non-textured polyester yarns, Power Bumper, microfibre

Quick lacing system: WINCH® is resistant to dirt and water

Lining: Jacquard Mesh breathable material or durable, breathable HB Tex membrane

Safety toe cap: composite, 200J

Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material

Outsole: PU-Rubber MICHELIN, Slip Resistant



Art.: CH(br)2C0802/3-21(br)

Height: 130 ± 5mm | Waga: 630g ± 5%

Sizes: 37 - 47



802 BROWN

Art.: CH(bl)2C0802/3-21 (br)

Height: 130 ± 5mm | Waga: 630g ± 5%

Sizes: 37 - 47



802 BLACK



LIGHT DUTY



Protection class: S3S HRO SR

Upper material: durable waterproof Crazy Horse leather

Flap: durable breathable Cordura material

Lining: Jacquard Mesh breathable material

Safety toe cap: composite, 200J

Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material

Outsole: PU-Rubber MICHELIN, slip-resistant

The shoes have no metal elements

Art.: CH(br)/2C0829/3-21(br)

Height: 90 ± 5mm | Weight: 610g ± 5%

Sizes: 37 - 47



829 BROWN

LIGHT DUTY



Protection class: S3S HRO SR

Upper material: durable waterproof Crazy Horse leather

Flap: durable breathable Cordura material

Lining: Jacquard Mesh breathable material

Safety toe cap: composite, 200J

Main insole: Dyna-Flex is an ultra-lightweight, anti-puncture material

Outsole: PU-Rubber MICHELIN, slip-resistant

The shoes have no metal elements



Art.: M(bl)/2C0826(blue)/3-2

Height: 90 ± 5mm | Weight: 590g ± 5% | Sizes: 37 - 47

Protection class: S3S SR



826 BLUE

Boots art.: M(bl)/2C0800(blue)/3-2

Height: 130 ± 5mm | Weight: 625g ± 5% | Sizes: 37 - 47

Protection class: S3S SR



800 BLUE

Art.: M(bl)/2C0825(blue)-2

Height: 90 ± 5mm | Weight: 585g ± 5% | Sizes: 37 - 47

Protection class: S1PS SR



825 BLUE

AIRFLEX BREATH



Upper material: durable microfibre, Cordura fabric, Hi-Hex polyester 3DMX on the toe

Lining: Jacquard Mesh breathable material

Safety toe cap: composite, 200J

Main insole: Kevlar anti-puncture

Outsole: PU-TPU with flex-zones, slip-resistant

Reflective print

The shoes have no metal elements

Art.: M(bl)/2C0830(grey)/3-2

Art.: M(bl)/2C0830(yel)/3-2

Height: 90 ± 5mm | **Weight:** 580g ± 5%

Sizes: 37 - 47



Art.: M(bl)/2C0803(grey)/3-2

Art.: M(bl)/2C0803(yel)/3-2

Height: 130 ± 5mm | **Weight:** 625g ± 5%

Sizes: 37 - 47



AIRFLEX BREATH

Protection class: S3S SR

Upper material: durable microfibre, Cordura fabric, Hi-Hex polyester 3DMX on the toe

Quick lacing system: ATOP is resistant to dirt and water

Lining: Jacquard Mesh breathable material

Safety toe cap: composite, 200J

Main insole: Kevlar anti-puncture

Outsole: PU-TPU with flex-zones, slip-resistant

Reflective print



Art.: M(bl)/2C0826(yel)/3-2

Height: 90 ± 5mm | Weight: 590g ± 5%

Sizes: 37 - 47



826 YELLOW

Art.: M(bl)/2C0800(yel)/3-2

Height: 130 ± 5mm | Weight: 625g ± 5%

Sizes: 37 - 47



800 YELLOW



METAL FREE



ESD



AIRFLEX BREATH

Protection class: S3S SR

Upper material: durable microfibre, Cordura fabric, Hi-Hex polyester 3DMX on the toe

Lining: Jacquard Mesh breathable material

Safety toe cap: composite, 200J

Main insole: Kevlar anti-puncture

Outsole: PU-TPU with flex-zones, slip-resistant

Reflective print

The shoes have no metal elements

Art.: M(bl)/2C0825(yel)-2

Height: 90 ± 5mm | Weight: 585g ± 5%

Sizes: 37 - 47



825 YELLOW

Art.: M(bl)/2C0827(yel)-2

Height: 90 ± 5mm | Weight: 615g ± 5%

Sizes: 37 - 47



827 YELLOW

AIRFLEX BREATH

Protection class: S1PS SR

Upper material: durable microfibre, Cordura fabric, Hi-Hex polyester
3DMX on the toe

Lining: Jacquard Mesh breathable material

Safety toe cap: composite, 200J

Main insole: Kevlar anti-puncture

Outsole: PU-TPU with flex-zones, slip-resistant

Reflective print

The shoes have no metal elements



ESD



METAL FREE



Art.: T(green)B7431C2/3-2ESD

Height: 93 ± 5mm | Weight: 492g ± 5%

Sizes: 37 - 47



7431 GREEN



Art.: T(blue)B7431C2/3-2ESD

Art.: T(red)B7431C2/3-2ESD



7431 BLUE

7431 RED



METAL FREE



ESD



AIRFLEX

Protection class: S3S SR

Upper material: PU Tek® extremely durable fabric that combines high protection with extreme lightness. Microfibre protective material

Lining: Jacquard Mesh and Spig Tex breathable materials

Safety toe cap: composite, 200J

Main insole: Kevlar anti-puncture

Outsole: PU-TPU with flex-zones, slip-resistant

AirBag cushioning "pillow"

Reflective inserts

The shoes have no metal elements

Art.: T(green)B7401C2/3-2 ESD

Height: 140 ± 5mm | Weight: 540g ± 5%

Sizes: 37 - 47



Boots art.: T(blue)B7401C2/3-2 ESD



7401 GREEN



7401 BLUE

AIRFLEX

Protection class: S3S SR

Upper material: PU Tek® extremely durable fabric that combines high protection with extreme lightness. Microfibre protective material

Lining: Jacquard Mesh and Spig Tex breathable materials

Safety toe cap: composite, 200J

Main insole: Kevlar anti-puncture

Outsole: PU-TPU with flex-zones, slip-resistant

AirBag cushioning "pillow"

Reflective inserts

The shoes have no metal elements





Art.: SD(bg)/MC0169(g)

Height: 75 ± 5mm | Weight: 574g ± 5%

Sizes: 37 - 47



169 GREY

AIRLIGHT

Protection class: S1PS SR

Upper material: durable Cordura and high quality suede

Lining: breathable 3-D mesh material with a three-dimensional structure

Safety toe cap: metal, 200 J


Main insole: Kevlar anti-puncture

Outsole: PU-PU, slip-resistant

Reflective inserts



Height: 80 ± 5mm
Weight: 544g ± 5%
Sizes: 37 - 47



170 RED

URBANGLIDE



METAL FREE

Protection class: S1PS SR

Upper material: durable, breathable Cordura covered with a honey-comb-shaped polyurethane protective element. High quality suede

Lining: breathable 3-D mesh material with a three-dimensional structure

Safety toe cap: composite, 200J

Main insole: Kevlar anti-puncture

Insole: comfortable moulded EVA foam footbed

Outsole: PU-PU, slip-resistant

Art.: KPU(red)/C0170(red)

Art.: KPU(g)/C0170(g)

Art.: KPU(blue)/C0170(blue)

Art.: KPU(green)/2C0170(green)

Height: 85 ± 5mm | **Weight:** 475g ± 5%
Sizes: 37 - 47



777 BLUE

JACQUARD



METAL FREE

Protection class: S1PS SR

Upper material: lightweight and breathable fabric, strength 2.5 times higher than European standards

Lining: breathable MESH material

Safety toe cap: composite, 200J

Main insole: Kevlar anti-puncture

Insole: comfortable moulded EVA foam footbed

Outsole: PU-PU, slip-resistant

Art.: T(blue)/2C777(blue)

Ankle boots art.: CH(br)/AC0368(g)/3

Height: 85 ± 5mm | Weight: 574g ± 5%

Sizes: 37 - 47



368 BROWN

Boots art.: CH(br)/AC0318(g)/3

Boots art.: CH(bl)/AC0318(g)/3

Height: 130 ± 5mm | Weight: 609g ± 5%

Sizes: 37 - 47



318 BROWN

318 BLACK



OUTDOOR

Protection class: S3S FO SR

Upper material: durable waterproof Crazy Horse leather

Flap: durable breathable Cordura material

Lining: breathable mesh material Air Surf Fabric

Safety toe cap: aluminium, 200J

Main insole: Kevlar anti-puncture

Outsole: PU-PU, slip-resistant

Reflective inserts

Art.: CH(br)/2C0917/(g)/3

Art.: GH(bl)/2C0917(g)/3

Height: 130 ± 5mm | Weight: 676g ± 5%

Sizes: 37 - 47



917 BROWN

917 BLACK

PLANET

Protection class: S3S FO SR

Upper material: durable waterproof Crazy Horse leather

Lining: breathable mesh material Air Surf Fabric

Flap: durable breathable Cordura material

Safety toe cap: composite, 200J

Main insole: Kevlar anti-puncture

Insole: moulded EVA with foam and 2-D Mesh

Outsole: PU-PU, slip-resistant

Reflective inserts



Art.: G/2C0916K(g)/3

Art.: G/2C0916FnK(g)/3

Height: 200 ± 5mm | Weight: 773g ± 5%

Sizes: 37 - 47



916 BLACK

COMMANDER

Protection class: S3S FO SR

Upper material: waterproof Strong Protection leather

Lining art. 916K: breathable mesh material Air Surf Fabric

Lining art. 916FnK: natural fur

Safety toe cap: composite, 200J

Main insole: Kevlar anti-puncture

Insole: moulded EVA with foam and 2-D Mesh

Outsole: PU-PU, slip-resistant

Art.: CH(br)/2C0966(g)/3

Art.: GH(bl)/2C0966(g)/3

Height: 98 ± 5mm | Weight: 703g ± 5%

Sizes: 37 - 47



Art.: GH(br)/2C0919(g)/3

Art.: GH(bl)/2C0919(g)/3

Height: 136 ± 5mm | Weight: 729g ± 5%

Sizes: 37 - 47



GALAXY

Protection class: S3S FO SR

Upper material: durable waterproof Crazy Horse leather

Flap: durable breathable Cordura material

Lining: breathable mesh material Air Surf Fabric

Safety toe cap: composite, 200J

Main insole: Kevlar anti-puncture

Insole: moulded EVA with foam and 2-D Mesh

Outsole: PU-PU, SlipResistant

Reflective inserts

Art.: CH/2C0163/3

Art.: GH(bl)/2C0163(g)/3

Height: 90 ± 5mm | Weight: 597g ± 5%

Sizes: 37 - 47



Art.: CH/2C0111/3

Art.: GH(bl)/2C0111(g)/3

Height: 138 ± 5mm | Weight: 643g ± 5%

Sizes: 37 - 47



STYLER

Protection class: S3S FO SR

Upper material: durable waterproof Crazy Horse leather

Lining: breathable mesh material Air Surf Fabric

Flap: durable breathable Cordura material

Safety toe cap: composite, 200J

Main insole: Kevlar anti-puncture

Insole: moulded EVA with foam and 2-D Mesh

Outsole: PU-PU, SlipResistant

Reflective inserts



Art.: BA(white)6224C2
Height: 80 ± 5mm
Weight: 430g ± 5%
Sizes: 37 - 47



ORION

SIRIO

Art.: BA(white)6223C2
Height: 115 ± 5mm
Weight: 470g ± 5%
Sizes: 37 - 47

Art.: M(wh)/2c0162/3
Height: 85 ± 5mm
Weight: 500g ± 5%
Sizes: 37 - 47



162 WHITE

112 WHITE

Art.: M(wh)/2c0112/3
Height: 140 ± 5mm
Weight: 530g ± 5%
Sizes: 37 - 47

MOON



Protection class: S2 SR
Upper material: waterproof microfiber
Lining: Mesh breathable material
Safety toe cap: composite, 200J
Main insole: made of strobil material
Outsole: PU-PU, slip-resistant

Protection class: S3S SR
Upper material: waterproof microfiber
Lining: Mesh breathable material
Safety toe cap: composite, 200J
Main insole: Kevlar anti-puncture
Outsole: PU-PU, slip-resistant

Art.: SE/2c171(g)/3

Height: 85 ± 5mm | Weight: 575g ± 5%

Sizes: 37 - 47



171 BLACK

Art.: SE/2C133(g)/3

Height: 120 ± 5mm | Weight: 591g ± 5%

Sizes: 37 - 47



133 BLACK

TORNADO

Protection class: S3S FO SR

Upper material: waterproof Strong Protection leather

Lining: breathable mesh material Air Surf Fabric

Safety toe cap: composite, 200J

Main insole: Kevlar anti-puncture

Insole: moulded EVA with foam and 2-D Mesh

Outsole: PU-PU, slip-resistant

Reflective inserts

The shoes have no metal elements



METAL FREE



Art.: SE/2M0162

Height: 85 ± 5mm | Weight: 615g ± 5%

Sizes: 37 - 47



162 BLACK

Art.: SE/2M0112

Height: 140 ± 5mm | Weight: 628g ± 5%

Sizes: 37 - 47



112 BLACK

Art.: SE/2M182

Height: 260 ± 5mm | Weight: 770g ± 5%

Sizes: 37 - 47



182 BLACK

FORWARD

Protection class: S3P FO SR

Upper material: waterproof Strong Protection leather

Lining: breathable mesh material Air Surf Fabric

Safety toe cap: metal, 200J

Main insole: metal anti-puncture

Insole: moulded EVA with foam and 2-D Mesh

Outsole: PU-PU, slip-resistant

Protection class: S3P FO SR

Upper material: waterproof Strong Protection leather

Lining: breathable mesh material Air Surf Fabric

Safety toe cap: metal, 200J

Main insole: metal anti-puncture

Insole: moulded EVA with foam and 2-D Mesh

Outsole: PU-PU, slip-resistant



ProTechfit Graphite

ProTechfit White

ProTechfit Yellow

Height: 335± 5mm | **Weight S5:** 1120g ± 5% | **Weight 04:** 1000g ± 5%
Sizes: 39 - 48



ProTechfit Olive

ProTechfit - PVC Work Boots

Protection class: S5 SR / 04 SR

Upper material: PVC with 8% Nitrile Rubber

Lining: polyester

Safety toe cap: steel, 200J / without safety toe cap

Main insole: stainless steel / without main insole

Outsole: PVC with 8% Nitrile Rubber

Art.: PVC(dol)1

Art.: PVC(dol)1m2



Art.: SP/2M0575(g)/3

Height: 85 ± 5mm | Weight: 645g ± 5%

Sizes: 37 - 47



575 BLACK

Art.: SP/2M0545(g)/3

Height: 120 ± 5mm | Weight: 660g ± 5%

Sizes: 37 - 47



545 BLACK

PRIME

Protection class: S3 SR

Upper material: waterproof Strong Protection leather

Lining: breathable mesh material Air Surf Fabric

Safety toe cap: metal, 200J

Main insole: metal anti-puncture

Insole: moulded EVA with foam and 2-D Mesh

Outsole: PU-PU, slip-resistant

Reflective inserts



TECHNOLOGIES

NITROCORE

NitroCore is a lightweight, glue-free sole that does not sag over time. An eco-friendly technology designed for human comfort and care for nature.

atop

REEL KNOB LACING SYSTEM

The ATOP system gives you perfect fit control with just one move. Fast, precise, and built for absolute comfort and safety wherever you go.



Double-layer PU rubber - equipped with a combination of specially developed rubber compounds and a unique technical design. Heat resistance +300°C.



The HYPERTEX system shows that while the strongest fabric endures 51,000 cycles, this revolutionary material exceeds 1 million cycles!



ESD footwear prevents sparks when working with flammable substances and protects sensitive electronic equipment.



Heavy-duty genuine leather up to 2.2 mm thick. The tensile strength of the leather is 68% higher than EN ISO 20345:2016.



Cordura

Durable fabric with high vapour permeability and water repellency. Tensile strength is 9 times higher than the requirements of EN ISO 20345:2011, EN ISO 20347:2012-5.5.1.



CrazyHorse

High-quality Crazy Horse leather of increased strength. Water resistance - up to 180 minutes in dynamic conditions (3 times higher than normal).



The outsole with the revolutionary Full Power Duo System tread pattern: increases traction and provides stability on oily surfaces.

TECHNOLOGIES



Toe Cover/
Toe Cover MAX

Lightweight composite toe box. Protects the toes from forceful impact 200 joules. Made in Italy.



Vildona

The moulded three-layer insole has excellent thermal insulation and absorption properties.



MaxFlex

The anti-puncture Kevlar insole reliably protects the foot from punctures and cuts and has a resistance force of 1100 N.



StaBene

The anatomically shaped footbed makes the shoe comfortable even during prolonged and strenuous use. Reduces the feeling of fatigue.



Perfect Fit

The boots are made from a lightweight material that perfectly adapts to the shape of the foot, ensuring maximum comfort and excellent ergonomics.



Chemical
resistant

PVC boots offer reliable protection against chemical exposure, making them ideal for environments where enhanced safety is required.

ADDITIONAL PROTECTION CLASSES

ABBREVIATED CODES FOR FOOTWEAR MADE OF LEATHER AND OTHER MATERIALS, EXCLUDING FOOTWEAR MADE ENTIRELY OF RUBBER OR POLYMERS.

Symbol	Requirements	SB	S1	S2	S3	S3L	S3S	S6	S7	S7L	S7S
-	Basic requirements	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
-	Slip resistance on ceramic tile floors with SLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
∅	Slip resistance not tested (e.g. shoes with metal spikes)										
-	Closed sear region	○	✓	✓	✓	✓	✓	✓	✓	✓	✓
A	Antistatic footwear	○	✓	✓	✓	✓	✓	✓	✓	✓	✓
E	Energy absorption of seat region	○	✓	✓	✓	✓	✓	✓	✓	✓	✓
WPA	Water penetration and absorption	○	○	✓	✓	✓	✓	✓	✓	✓	✓
WR	Water resistance	○	○	○	○	○	○	✓	✓	✓	✓
P	Perforation resistance: metal insert	○	○	○	✓	-	-	○	✓	-	-
PL	Perforation resistance: non-metal insert, 4.5 mm nail	○	○	○	-	✓	-	○	-	✓	-
PS	Perforation resistance: non-metal insert, 3.0 mm nail	○	○	○	-	-	✓	○	-	-	✓
-	Cleated outsole	○	○	○	✓	✓	✓	○	✓	✓	✓

✓ = MANDATORY, ○ = OPTIONAL, - = NOT NECESSARY/POSSIBLE



Perfect Fit



Chemical-resistant



Impact-resistant



Penetration-resistant



Water-resistant



